



## KOREAN PATENT ABSTRACTS

(11)Publication number: 1020020009070 A  
(43)Date of publication of application: 01.02.2002

(21)Application number: 1020000042313  
(22)Date of filing: 24.07.2000


(71)Applicant: RORZE SYSTEMS CORPORATION  
(72)Inventor: CHO, MUN IL  
KIM, YEONG JUN  
YOO, GI RYONG  
YOON, DEOK HWAN

(51)Int. Cl. C03B 33/09

## (54) CUTTING METHOD OF NONMETALLIC MATERIALS AND CUTTING EQUIPMENT

## (57) Abstract:

PURPOSE: Provided is a method for cutting nonmetallic materials, especially glasses, completely by forming a crack through two times heating and quenching processes using heating beam and quencher. CONSTITUTION: The cutting method comprises the steps of: forming an initial crack on the edge of a nonmetallic material, glass(11), by cracker(12); heating the glass by irradiating a cutting line with a first heating beam(14) from a first optical instrument comprising laser source(10.6micrometer CO2 laser), mirror and lens; primary quenching to form a crack by a first quencher(15), wherein the quenching materials with high specific heat and thermal capacity are He, N2, He+H2O, and H2O+air; irradiating both sides of a scribe line(18) with a first break beam(17); heating the glass by irradiating the scribe line with a second heating beam(19) from a second optical instrument; secondary quenching by a second quencher(151); irradiating both sides of the scribe line with a second break beam(171); blowing air under the glass to cut the glass completely by lifting the glass.



copyright KIPO 2002

## Legal Status

Date of request for an examination (20000724)  
Notification date of refusal decision ( )  
Final disposal of an application (registration)  
Date of final disposal of an application (20021220)  
Patent registration number (1003710110000)  
Date of registration (20030122)

Number of opposition against the grant of a patent ( )  
Date of opposition against the grant of a patent ( )  
Number of trial against decision to refuse ( )  
Date of requesting trial against decision to refuse ( )